

Sports Medicine

Center for Musculoskeletal Care 333 East 38th Street New York, NY 10016 Tel: (646) 501-7223

Rehabilitation Protocol: Quad/Patellar Tendon Repair

Name:	Date:
Diagnosis:	Date of Surgery:
 Post-Operative First PT visit 4 weekspost surgery Passive or active-assistive ROM for full extension and TTWB crutch gait for 6 weeks with brace locked at 0° for all activities except therapeut Therapeutic exercise: A.A.ROM for flexion (see above) and full extension is a subject of the company of th	0° tic exercise
 Week 2-6 PT as necessary to meet goals Passive or active-assistive ROM. Add 15° flexion each 90° after 6 weeks. Remove suture from incision and re-apply steri-strice. TTWB crutch gait with brace locked at 0° Therapeutic exercise: As above Upper extremity exercise okay 	ch week with a goal of 90° at 6 weeks. Advance beyond ips at 2 weeks
 Week 6-12 PT as necessary to meet goals DC brace at 6 weeks PWB with crutches Progress to FWB gait as tolerated Therapeutic exercise: A.A.ROM and gentle stretching Lower extremity PRE's with low weight / high Stationary bicycle Impact activities per MD 	n repetition
Protocol Modifications:	
Comments: Frequency: times per week	
Signature:	Date: