

**Sports Medicine** 

Center for Musculoskeletal Care 333 East 38<sup>th</sup> Street New York, NY 10016 Tel: (646) 501-7223

## **Rehabilitation Protocol: Knee Osteochondritis Dissecans (OCD)**

Name: Date:			
Diagnosis: Date of Surgery:			
Post-Op Week 0-2: Protective Phase			
Brace: None			
Weight Bearing: Non weight bearing with crutches			
ROM Goals:			
Extension (straight): Full  Fig. (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4			
<ul> <li>Flexion (bent): 60 degrees</li> <li>Therapeutic Exercises:</li> </ul>			
<ul> <li>Strengthening: Quad sets (squeeze thigh muscles tight), four-way SLR (four direction straight leg raises: forward, backward, inside, outside) with brace on</li> </ul>			
• Conditioning: UBE (upper body exercise bike)  Manual Thomas and Distriction (trace can slides up down side to side)			
Manual Therapy: Patellar mobilization (knee cap slides: up, down, side to side)			
_			
Weeks 3 to 4: Motion Phase			
Weight Bearing: non-weight bearing with crutches			
ROM Goals:			
• Extension: Full			
• Flexion: 90 degrees			
Therapeutic Exercises:			
Strengthening: Quad sets, four-way SLR			
• Conditioning: UBE			
Manual Therapy:			
<ul> <li>Patella and joint mobilization, passive knee flexion (not using your leg muscles to bend your knee) to 90 degrees, peri-patellar (around knee cap) soft tissue mobilization</li> </ul>			
Weeks 5 to 6: Strengthening Phase			
<b>Weight Bearing:</b> Partial (25-50%) weight bearing with crutches			
ROM Goals:			
Extension: Full			
Flexion: 120 degrees			
Therapeutic Exercises:			
Strengthening: Four-way SLR			
<ul> <li>Proprioception: Weight shifting, Weight shifting, Balance activities</li> </ul>			
<ul> <li>Conditioning: UBE, Stationary bike less than 15 minutes with minimal resistance</li> </ul>			
Manual Therapy:			
<ul> <li>Patella and joint mobilization, passive knee flexion to 120 degrees, peri-patellar soft tissue mobilization</li> </ul>			
Weeks 7 to 8: Advanced Strengthening Phase			
Weight Bearing: Progressing to full weight bearing without crutches			
<b>ROM:</b> Full			
Thoranoutic Evereiens			

• Strengthening: Initiate Closed chain activities, Hamstrings exercises



**Sports Medicine** 

Center for Musculoskeletal Care 333 East 38<sup>th</sup> Street New York, NY 10016 Tel: (646) 501-7223

Proprioception: Weight shifting, Single leg balance activities

• Conditioning: UBE, Stationary bike

## Manual Therapy:

• Patellar and joint mobilization

Month 4-6: Conditioning/Sport Phase Therapeutic Exercises:  Strengthening: Closed chain, Multi plane single leg, Hamstrings  Proprioception: Weight shifting, Excursion testing, Balance activities  Conditioning: Continue UBE, Stationary Bike, Elliptical machine, Ski machine BEGIN running outside, cutting and jumping activities  Protocol Modifications:  Protocol Modifications:  Comments:  Frequency:times per week	ີ Weiį		9
Comments:  Frequency: times per week	Then	erapeutic Exercises:  Strengthening: Closed chain, Multi plane single leg, H Proprioception: Weight shifting, Excursion testing, B Conditioning: Continue UBE, Stationary Bike, Elliptic	alance activities
Frequency: times per week	Pro	otocol Modifications:	
	-	•	weeks Date: